# **MATERIAL SAFETY DATA SHEET**

According to EC Directive 1907/2006 Revision Date: 04.05.15 MS-52086 V01



#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Trade Name : ISOLATE II Biofluids RNA Kit

Catalogue Number : BIO-52086 50 preps

Manufacturer/ Supplier: Headquarters

Bioline Reagents Ltd.

16 The Edge Business Centre

**Humber Road** 

London NW2 6EW

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822

Further information obtainable from: **Europe** 

UK - details as above

Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244

**America** 

info.us@bioline.com Tel: +1 508 880 8990 Fax: +1 508 880 8993

**Australia** 

info.aust@bioline.com Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763

Other regions

Please contact the UK headquarters

24-Hour contact in case of emergency : Vergiftungs-Informations-Zentrale

Mathilden Strasse 1 79106 Freiburg GERMANY

Tel: +49 (0) 761 19240

#### 2. HAZARD IDENTIFICATION

**Product name** 

Directive 1999/45/EC RNA Elution Buffer Does not need labelling as

hazardous

Wash Buffer W1

Does not need labelling as

hazardous

**DNase Reaction Buffer DRB** Lysis Buffer RX

Does not need labelling as

hazardous

Does not need labelling as

hazardous

### GHS Directive 1272/2008/EC

Does not need labelling as

hazardous

Does not need labelling as

hazardous

Does not need labelling as

hazardous DANGER



H302 - Acute Tox. 4 oral H312 - Acute Tox. 4 dermal H332 - Acute Tox. 4 inhale H412 - Aquatic Chronic 3 EUH032 - Contact with acids

liberates very toxic gas

RNase-free **DNase I Solution**  **HARMFUL** 

R42/43 - May cause sensitisation by inhalation and

skin contact

WARNING



H317 - Skin Sens. 1A/1B H334 - Resp. Sens. 1A/1B

According to Regulation (EC) No1272/2008

Skin Sensitivity (Category 1A/1B)

Respiratory Sensitivity (Category 1A/1B)

Acute Toxicity, Oral (Category 4)

Eye Irritant (Category 2)

Specific Target Organ Toxicity - Single Exposure (Category 3)

According to European Directive 67/548/EEC as amended.

C – Corrosive.

Xn – Harmful.

Xi – Irritant. Irritating to eyes. May cause sensitisation by inhalation and skin contact.

#### Label elements

Pictogram





Signal word Warning Danger

### **Hazard statement(s)**

H302 Harmful if swallowed. H312 Harmful in contact with skin. H317 May cause an allergic skin reaction H332 Harmful if inhaled.

**EUH032** Contact with acids liberates very toxic gas. H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H412 Harmful to aquatic life with long lasting effects.

# Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

IF ON SKIN: Wash with plenty of soap and P302+352

water.

P304+341 IF INHALED: If breathing is difficult, remove

victim to fresh air and keep at rest in a position

comfortable for breathing.

P333+313 If skin irritation or rash occurs: Get medical

advice/attention.

P342+311 If experiencing respiratory symptoms: call a

POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

Hazard symbol(s)

Irritant Χi Xn Harmful C Corrosive

R-phrase(s)

R20/21/22 Harmful by inhalation, in contact with skin and if

swallowed.

R32 Contact with acids liberates very toxic gas.

R34 Causes burns. R36 Irritating to eyes.

R42/43 May cause sensitization by inhalation and skin

contact.

R52/53 Harmful to aquatic organisms, may cause long-

term adverse effects in the aquatic

environment.

S-phrase(s)

S36/37/39

S22 Do not breathe dust.

S26 In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you

feel unwell, seek medical advice immediately (show the label where possible)...

S61 Avoid release to the environment.

Other hazards none

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture of hazardous substances listed below with non-hazardous additions.

Chemical name	CAS-No.	EC-No.	Concentration	Classification	
Lysis Buffer RX					
Guanidine thiocyanate	593-84-0	209-812-1	30-60%	H302; H312; H332; H412; Xn; R20/21/22; R32; R52/53	
RNA Elution Buffer					
Declaration not required	n/a	n/a	0.1-1%	n/a	
Wash Buffer W1					
Declaration not required	n/a	n/a	0.1-1%	n/a	
DNase I Reaction Buffer DRB					
Declaration not required	n/a	n/a	0.1-1%	n/a	

DNase I Solution (RNase-free)				
DNase I	9003-98-9	232-667-0	90-100%	Skin Sens. 1A/1B;
				Resp. Sens. 1A/1B;
				H317; H334;
				R42/43

#### 4. FIRST AID MEASURES

#### **After Inhalation**

Remove to fresh air. Keep airways free.

#### After Swallowing

Drink lots of water after ingestion.

#### **After Contact with Eyes**

Immediately flush eyes with copious amounts of water for at least 20 minutes, retracting eyelids often. Tilt the head to prevent chemical transferring to uncontaminated eye.

# After Contact with Skin

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. Use soap if possible.

#### Note to Physician

No additional recommendations

#### 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media

All extinguishers can be used, including fire blankets.

# **Unusual Fire Hazard**

Formation of hazardous and caustic vapour-air mixtures possible. Only when there is a large scale leak is there danger to the environment, or on the formation of hazardous substances.

# **Fire Fighting Protective Measures**

Wear full protective clothing to prevent contact with the skin and eyes.

Wear self-contained breathing equipment to prevent inhalation of explosive or combustion gases. Fight fire from a safe distance and a protected location due to the potential of hazardous vapours and decomposition products. Product package burns like paper of plastic. Spray vapours with water. Retain fire water. Use only acid-resistant safety equipment.

# 6. ACCIDENTAL RELEASE MEASURES

# **Personal Precautions**

Ensure ventilation is adequate. Only to be used by trained staff.

Refer to section 8 for personal protection equipment recommendations.

### **Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **Clean-up Measures**

Prevent the spread of any spill in order to minimise harm to human health and the environment if it is safe to do so. Use a liquid-binding material (e.g. sand, sawdust, diatomite etc.) to absorb the spillage. Place in closed containers for disposal. Ventilate area well after clean-up procedures have taken place.

#### 7. HANDLING AND STORAGE

# Handling

In accordance with the instructions that come with the product. Avoid inhalation of vapour or mist. Use good laboratory handling procedures.

#### Storage

Packaging allows safe storage. Do not store near acids. Refer to section 12 for further details.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Engineering Measures**

Local exhaust ventilation or other engineering controls are normally required when handling this product to avoid overexposure.

#### **Personal Protection**

**Respiratory Protection:** Only if additional recommendations in test instruction or packing insert.

**Eye Protection:** An eye wash station must be available where this product is used. Wear chemically resistant, tightly fitting safety goggles or glasses with side-shields, according to EN 166.

**Skin Protection:** Prevent all contact with this product. Protective gloves, apron, face and further skin protection should be used depending on conditions of use, according to EN 374. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment thoroughly after each use.

**Hygiene Practices:** Avoid contact with skin or eyes. Do not place in mouth.

Do not eat, drink or smoke when handling this product. Upon completion of the use of this product, dispose of protective gloves safely and wash hands thoroughly with soap and water.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

	Colour	Odour	Appearance	pН	Flash point	Sol. In water
RNA Elution Buffer	Colourless	Odourless	Liquid	7.0	NA	Soluble
Wash Solution W1	Colourless	Odourless	Liquid	7.5	NA	Soluble
Lysis Buffer RX	Colourless	Odourless	Liquid	7.0	NA	Soluble
DNase I Solution	Colourless	Odourless	Liquid	5-7	NA	Soluble
DNase I Reaction Buffer DRB	Colourless	Odourless	Liquid	7.5	NA	Soluble

#### **10.STABILITY AND REACTIVITY**

#### Stability

Product is stable under normal handling and storage conditions.

Avoid excess heat, flame and pressure.

Thermal decomposition: None if used under ordinary conditions.

Conditions to avoid: Strong acids, strong oxidising agents, high temperatures, visible light, acids, temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Metals (ferrous) and isocyanates should also be avoided.

# Reactivity

Dangerous Reactions: See conditions to avoid in stability section.

Hazardous decomposition products: Ammonia, nitrogen oxides, sulphur containing gases, hydrogen cyanide, carbon monoxide, carbon dioxide, toxic gases.

Hazardous polymerization will not occur.

# 11.TOXICOLOGICAL INFORMATION

# **Acute toxicity**

	Lysis Buffer RX		
	Guanidine thiocyanate 593-84-0		
LD50 <sub>orl rat</sub>	593 mg/kg		
LD50 <sub>ihl rat</sub>	-		
LD50 <sub>drm rbt</sub>	-		
LD_Lowihl gpg	-		
LD_Low <sub>orl hmn</sub>	-		
LD50 <sub>ihl mouse</sub>	-		
LD50 <sub>oral mouse</sub>	-		
LD50 <sub>intraperitoneal rat</sub>	-		
LD50 <sub>intraperitoneal mouse</sub>	-		

Data on other components is either not available or not required.

# 12.ECOLOGICAL INFORMATION

	Lysis Buffer RX		
Bio Toxicity	Guanidine thiocyanate 593-84-0		
LC50 <sub>fish/48h</sub>	Acute LC50 89.1/mg/l		
EC50 <sub>daphnia/48h</sub>	Acute EC50 42.4 mg/l		

Data on other components is either not available or not required.

# 13.DISPOSAL CONSIDERATIONS

# **Product Disposal**

Must be disposed of according to all local official regulations (waste code: 16 05 06).

# **Packaging Disposal**

Unclean packaging should be disposed of according to all local official regulations.

# **14.Transport Information**

14.1 UN number				
ADR/RID: 1760	IMDG: 1760	IATA: 1760		
14.2 UN proper shipping name				
ADR/RID: CORROSIVE LIQUID, N.O.S. (Guanidinium thiocyanate)				
IMDG: CORROSIVE LIQUID, N.O.S. (Guanidinium thiocyanate)				
IATA: Corrosive liquid, n.o.s. (Guanidinium thiocyanate)				
14.3 Transport hazard class(es)				
ADR/RID: 8	IMDG: 8	IATA: 8		
14.4 Packaging group				
ADR/RID: 8	IMDG: 8	IATA: 8		
14.5 Environmental				

hazards			
ADR/RID: III	IMDG: III	IATA: III	

#### 15. REGULATORY INFORMATION

This safety sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Label elements

Pictogram







Signal word Warning Danger

# Hazard statement(s)

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H317 May cause an allergic skin reaction

H332 Harmful if inhaled.

EUH032 Contact with acids liberates very toxic gas.

H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H412 Harmful to aquatic life with long lasting effects.

# Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P302+352 IF ON SKIN: Wash with plenty of soap and

water.

P304+341 IF INHALED: If breathing is difficult, remove

victim to fresh air and keep at rest in a position

comfortable for breathing.

P333+313 If skin irritation or rash occurs: Get medical

advice/attention.

P342+311 IF experiencing respiratory symptoms: call a

POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

# Hazard symbol(s)

Xi Irritant
Xn Harmful
C Corrosive

R-phrase(s)

R20/21/22 Harmful by inhalation, in contact with skin and if

swallowed.

R32 Contact with acids liberates very toxic gas.

R34 Causes burns.
R36 Irritating to eyes.

R42/43 May cause sensitization by inhalation and skin

contact.

R52/53 Harmful to aquatic organisms, may cause long-

term adverse effects in the aquatic

environment.

S-phrase(s)

S36/37/39

S22 Do not breathe dust.

S26 In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you

feel unwell, seek medical advice immediately

(show the label where possible)..

Avoid release to the environment.

Other hazards none

#### **16.OTHER INFORMATION**

S61

The information provided in this Material Safety Data Sheet (MSDS) is accurate to the best of our present knowledge. However, this shall not constitute a guarantee for any specific product features. All substances and preparations may present unknown hazards and should be used with caution. Bioline shall not be held liable for any damage resulting from the handling of or from contact with the above product. The information supplied in this MSDS shall not establish a legally valid contractual relationship.